















Connected Corridors I-210 Pilot Project

User Needs Workshop

Agenda

Introduction

Project Overview, Schedule, Corridor Description

User Needs Workshop

I-210 Project Definition

Operational Scenarios and Strategies Approach

Users and Users Needs

Performance Metrics

Additional Project Discussions (as time allows)

Marketing Needs

MOUs/Agreements

Infrastructure and Resource Needs

Introduction

Purpose of Today's Workshop (Define Project Concept)

Get you more familiar with project details and goals

Reach consensus on project definition, integration, strategies approach

Reach consensus on users and users needs

Reach consensus on performance metrics (to measure success)

If we have time, logistics (marketing, MOUs/Agreements, resources, risks)

I-210 Project Overview and Goals

Near Term Key Tasks and Efforts

I-210 Project Milestone Schedule

Few Examples of ICMs in Other Regions

I-210 Project Corridor Description

Project Overview

ICM California

- Caltrans is leading the effort for the State
- I-210 Connected Corridors Pilot Replicable in fifty corridor segments over the next ten years
- □ Coordination A lot of progress has been made

Key partners engaged (D7, Metro, LACDPW)

Cities engaged (Pasadena, Arcadia, Duarte, Monrovia) Intro and technical meetings with the partners and cities















I-210 Pilot Project Goals

- Bring together corridor stakeholders to create an environment for mutual cooperation, including sharing knowledge, developing working pilots, and researching and resolving key issues
- Formulate a roadmap for the cost-effective implementation of future innovations
- Develop and deploy an integrated, advanced decision support system for use by the stakeholders as they actively manage the corridor
- Develop a set of performance measures to quantify the successes of the Connected Corridors pilot project
- Demonstrate project effectiveness that can lead to additional phases and funding for more advanced tools and capabilities
- Develop a pilot system that can be replicated on other corridors and be a model for other corridors in the state and country













Near Term Key Tasks & Efforts

- Understand data needs
- Characterize the corridor
- Share data
- Prepare studies
- Request funding for resources
- □ Next steps
 - Simple coordination
 - Bring system together (automated)
 - Keep moving forward















Communications & Outreach

Near-term activities

- Presentations to several LA Metro subcommittees late February/early March
- Meeting with San Gabriel Valley Council of Governments on March 18
- Meetings with City Councils, Technical Advisory Committees, and/or City Managers (to be confirmed)

Public announcement of the I-210 Connected Corridors Pilot

- Brainstorm/planning meetings just getting started
 - First meeting to be held March 12th
 - To include Caltrans District 7 Public Relations personnel & Project Manager, LA Metro, PATH
 - Will keep cities and county informed as planning progresses
 - Any ideas? → Please forward to Lisa Hammon














I-210 Pilot Project Milestone Schedule

















Existing ICM Efforts (United States)

Corridor	Corridor Type	Lead Agencies	Activities
I-15 Diego	Suburban	SANDAG	 ConOps and System Requirements developed in 2008 Simulation evaluation in 2009-2010 System launched October 2013 Currently in evaluation phase
US-75 Dallas	Suburban & urban	DART	 ConOps and System Requirements developed in 2008 Simulation evaluation in 2009-2010 System launched in April 2013 Currently in evaluation phase
I-80 Bay Area	Suburban & urban	MTC / Caltrans	 ConOps developed in 2010 Groundbreaking in October 2012 Expected to be completed Summer 2015
I-95 / I-395 Virginia	Rural, Suburban & Urban	Virginia DOT	 ConOps development initiated in 2012 Currently developing deployment plan & partnerships

















Freeway - Arterial Integration

- □ I-15 north of San Diego
- Center City Pkwy, Pomerado Rd, Black Mountain Rd, Kearny Villa Rd
- Traffic-responsive on-ramp metering
- I-15 HOT Managed Lane System
- Traffic-responsive (plan selection) signal control
- Arterial/ramp metering signal coordination

Transit services

- MTS bus, NCTD bus, NCTD Sprinter Commuter Rail
- Vehicle rerouting around incidents
- Service increase in response to event/incidents



















Freeway - Arterial Integration

- 20-mile section of US-75
- Frontage roads, Greenville Ave, Coit Road
- Predefined diversion plans
- HOV access restrictions during incidents
- New signal timing plans for Greenville Ave
- Event-specific timing plans

Transit services

DART Light Rail, DART Bus



City of Plano

City of Richardson













Travelshed






80 SF Bay Area

Freeway - Arterial Integration

- 20-miles section of I-80 fromBay Bridge to Carquinez Bridge
- San Pablo Avenue
- Coordinated ramp metering
- Lane use management system (close lanes ahead of incidents)
- Traffic signal flush plan
- Trailblazer signs

Transit Integration

BART, AC Transit bus network





















I-210 Project Corridor Description



Arterial Traffic Control

















Light-Rail, Transitway & Commuter Rail


















Express Commuter Buses




















Park & Ride Facilities

















User Needs Workshop

Pre-Workshop Meetings

I-210 Pilot Project Definition

Operational Scenarios

Define Integration

Define Incidents and Strategies Approach

Define Users and Identify Users Needs

Define Performance Metrics

User Needs Workshop

Purpose of Today's Workshop (Define Project Concept)

Get you more familiar with project details and goals

Reach consensus on project definition, integration, strategies approach

Reach consensus on users and users needs

Reach consensus on performance metrics (to measure success)

If we have time, logistics (marketing, MOUs/Agreements, resources,)

Pre-Workshop Meetings Summary

Pilot Project

- Project is needed, if nothing else to improve coordination and collaboration
- Start with incident and event management with freeway-arterial integration
- Incorporate transit/parking as feasible

Integration Development

- May be challenging with different TCS/ATMS and software modifications needed
- Arcadia offers to use its TransSuite for beta testing at sample segment
- System should be transparent, allowing all direct users to see same things
- Concerns include staff support resources, increased communications costs, and review turnaround time

System Operations

- Automated response system with direct user override capabilities by location and by strategy option and by jurisdiction (liability could be an issue)
- Performance metrics should include at least travel time and public perception
- Must take into consideration local residents and local traffic, businesses, bicycles and pedestrians, schools and school traffic, and senior citizen pedestrians















I-210 Pilot Project Definition

 Development and deployment of an ICM system to promote coordinated operations along the I-210



 Initial primary focus on managing incidents/events, with gradual expansion to transit, parking and demand management

















Key I-210 Pilot Project Components

Traffic & Transit and System Monitoring

- Adequate monitoring (freeway, arterials, transit)
- Monitoring of control devices (signal status, ramp metering data, etc.)
- Travel demand monitoring (origin-destination patterns)

Decision Support System (DSS)

- Identification of events/incidents
- Development of strategies to respond to events/incidents
- Use of simulation modeling/analytical tools to perform evaluations
- Make estimates and predictions
- Select best strategy to implement
- Process for approving/implementing recommended strategies

System interfaces

- Traffic monitoring system
- Communications to system operators
- Traveler information systems
















Potential System Components (Example)


















Operational Scenario (Incident Response Example)

Freeway or arterial incident management (incident response)


















Operational Scenario (Incident Response Example)


















Operational Scenario (Post Incident Example)

Freeway or arterial incident management (post incident)

















Define Integration

□ Freeway - Arterial System Integration

- Caltrans Freeway Ramp Metering
- Caltrans Ramp Intersections
- Caltrans Traveler Information (CMS, TMT)
- Local Arterial Intersections
- Local Traveler Information (CMS, if any)

Freeway Service Patrol

CCTV Cameras

Transit/Parking System Add-on Integration

- Parking Management (available spaces, parking reservation, 2900+ spaces)
- Metro Gold Line (finish late 2015) and I-10 Silver Line (station departure times)
- Bus transit

□ Other

- Fiber through the cities
- RIITS
- Police/law enforcement

Traveler Information

- Dedicated I-210 Pilot website (and possibly mobile device App)
- 511 and agency website integration
- Media and 3rd party feed

CT QuickMaps
















Define Integration

Freeway – Arterial System Integration

















Define Incidents and Strategies Approach

Define incidents/events categories

Location(s)

Arterial
Arterial I/S
Freeway ramp
Freeway mainline
HOV Lane

□ Time of day/duration

Day of the week

- □ Season
- □ Schools in or out of session
- Holiday
- Transit Incidents

Develop response strategies to defined incident categories

- Develop multiple response options (play book of 3-5 options, from low impact to high impact) for each category or type of incident
- Develop process for best option selection (modeling, analysis, testing, etc.)

Event Type

Stall/Collision
Scheduled Closure
Police Activity
Emergency Event
Hazmat Spill
Other

Lanes Blocked

1 Lane
2 Lanes
3 Lanes
... or
% Capacity

Impact

Minor Major Long

G













Define Strategies Approach

- Download selected response option to all integrated ATMS/TCS
 - Local agency TCS (via IEN? DSS interface with IEN needed)
 - Caltrans ATMS (via direct or IEN? development needed)
- Lead agency will be one where incident/event occurs on their facility
 - If local agency, coordinate with Caltrans for evaluation and appropriate response plan
 - □ If Caltrans, coordinate with the direct adjacent local agency(s); other agencies notified of action taken















Review

Purpose of Today's Workshop (Define Project Concept)

- ✓ Get you more familiar with project details and goals
- ✓ Reach consensus on project definition, integration, strategies approach
 - Reach consensus on users and users needs
 - Reach consensus on performance metrics (to measure success)
 - If we have time, logistics (marketing, MOUs/Agreements, resources,)

Define Users

- Direct Users (participants access system/devices)
 - Operators
 - CT Operators
 - Supervisors
 - Maintenance support staff
 - CT Maintenance (Local only)
 - Transit and Rail Operators
- External Users
 - Public
- Indirect Users (view conditions and information only)
 - Supervisors, Managers (if different from Operator)
 - Department Director
 - Public Information Officer
 - Executives (City Managers)
 - Emergency Responders (Safety Director, Law Enforcement, Fire, etc)
 - Others (SGVCOG staff, Metro staff, 3rd party vendors?)













Identify Users Needs

- Indirect Users (view conditions and information only)
 - DSS website for status viewing and for traveler information
 - □ DSS Mobile device App (I-210 Pilot) dedicated for status viewing and traveler information
 - □ Traveler information integrated with other system (e.g. 511)
- Direct Users (participants access system/devices)
 - Automated selected response option implementation with manual override
 - Manual override of option (e.g., individual intersection, ramp, by corridor segments)
 - Does not allow for wholesale override? (entire agency system)















Identify Users Needs

- Database for historical data and manage access and control
- System selection of conditions category or type
- Simulation modeling results and shared viewing
- Detailed decision support system recommendations
- Response strategy options and selection
- Download selected option plans to devices instantly (central control)
- Manual override control by location and by corridor segment
- View roadway and control devices conditions for monitoring
- Indicated control devices not working (repair needed)
- Produce traveler information to dedicated site(s)
- Assess impact of strategy deployment
- Assess key performance measures
- Publish information
- Produce management reports including before/after comparison
- Document lessons learned















Define Performance Metrics To Use

- Higher traveler satisfaction rates
 - Public perception
- Mobility/Reliability/Productivity
 - Travel Time, Delay
 - Travel Time Reliability
 - Volumes, Lane-Mile-Hours
- Safety and Network Utilization
 - Reduced Incident Congestion Duration
 - Reduced Collisions, Injuries, Fatalities
 - Percent Utilization of DSS Recommendations
- Air Quality
 - Reduced greenhouse gas emissions, vehicle operating cost, VHT
- Bicyclists and Pedestrians
- Data Collection
- □ Trucks















Next Steps

- Compile and Summarize Today's Workshop Results
- Prepare the Concept of Operations (ConOps)
- Perform Analysis for Funding Requests















Additional Project Discussions

Marketing Needs
MOUs/Agreements
Infrastructure and Resource Needs

Marketing Needs

- Project Information
 - Fact Sheet / Brochure
 - Overview Presentation
 - Work Plan (Schedule)
 - Concept of Operations (to be completed)
- Project Website
- Mobile Device App
- Other















MOUs/Agreements

Keep it simple and general

- Provide details on required resource commitments
- Provisions for separate document (agreement required) for operations details and commitments















Infrastructure and Resource Needs

- Infrastructure (Central Control) Needs
 - Communications
 - Field Devices Upgrade
 - Controllers and Firmware
 - Performance Measure Devices
 - Intersection Modifications (turn lanes) & Signal Elements
 - Other (crosswalks, trailblazer signs)
- Development Engineering Support Resources Needs
 - Staff resources (consultant services)
- □ O&M Resources Needs















Summary

Purpose of Today's Workshop (Define Project Concept)

- ✓ Get you more familiar with project details and goals
- ✓ Reach consensus on project definition, integration, strategies approach
- √ Reach consensus on users and user needs
- ✓ Reach consensus on performance metrics (to measure success)
- ✓ If we have time, logistics (marketing, MOUs/Agreements, resources,)

Thank you for your participation













